

## RR1-19-HC



**Brand:** Serv-Ware  
**Product Code:** RR1-19-HC  
**Availability:** Ask for quote  
**Weight:** 295.00lb  
**Dimensions:** 26.80in x 25.60in x 82.30in  
**Call for Price:** 717-665-3525

### Short Description

1 Door 19 cu. ft Stainless Steel Refrigerator

### Description

### One Door Reach-In Refrigerator

### Features

- Aluminum painted interior
- Electronic Thermostat and Digital LED Temperature Display
- High Efficiency CFC Free Insulation
- Stainless Steel Front and Sides
- Self-Closing Lockable Doors with Full Length Handle
- Remain Open Past 90°

3 Shelves Per Door  
304 Stainless Steel Floor  
430 Series Stainless Steel Exterior Door & Front Panel  
Unit is shipped with casters installed (2 Brake and 2 Non Brake)

The single door includes 3 epoxy coated wire shelves with adjustable mounting brackets for greater flexibility.

The bottom mounted compressor designed to hold temperatures between 33° F and 41° F

Conforms to UL471, CSA C22.2 and NSF 7 Standards

Serv-Ware RR Series Refrigerators are UL Safety and UL Sanitation Approved.

## **Warranty**

Three Year – Parts & Labor on entire unit. Valid in United States

Five Year – Additional Compressor, Part Only

## **Specs**

Exterior Dimensions: 26.8” W x 25.6” D x 82.3” H

Net Volume: 19 cu. ft.

Net Weight: 295 lbs.

Exterior Material: 430 Stainless Steel

Interior Material: Painted Aluminum 304 S/S Floor

Insulation Material: CFC Free Foam

Shelf Material: Epoxy Coated Foam

Temperature: 33°F – 41°F

Refrigerant: R290

Defrosting: Every 6 Hours

H/P: 1/5

Voltage: 115

Hertz: 60

Phase: 1

Amps: 6

Nema Plug: 5-15P

Design ambient working temperature range: 40°F to 80°F

## Specification

Electrical	
Amps	3
Hz	60
Phase	1
Voltage	115

## Product Gallery

