## RR1-19-HC



**Brand:** Serv-Ware

**Product Code:** RR1-19-HC **Availability:** Ask for quote

Weight: 295.00lb

**Dimensions:** 26.80in x 25.60in x 82.30in

Phone: 717-665-3525 - Email:

**Call for Price**: 717-665-3525

#### **Short Description**

1 Door 19 cu. ft Stainless Steel Refrigerator

#### **Description**

### **One Door Reach-In Refrigerator**

#### **Features**

Aluminum painted interior Electronic Thermostat and Digital LED Temperature Display High Efficiency CFC Free Insulation Stainless Steel Front and Sides Self-Closing Lockable Doors with Full Length Handle Remain Open Past 90? 3 Shelves Per Door304 Stainless Steel Floor430 Series Stainless Steel Exterior Door & Front PanelUnit is shipped with casters installed (2 Brake and 2 Non Brake)

The single door includes 3 epoxy coated wire shelves with adjustable mounting brackets for greater flexibility.

The bottom mounted compressor designed to hold temperatures between 33° F and 41° F

Conforms to UL471, CSA C22.2 and NSF 7 Standards

Serv-Ware RR Series Refrigerators are UL Safety and UL Sanitation Approved.

#### Warranty

Three Year – Parts & Labor on entire unit. Valid in United States Five Year – Additional Compressor, Part Only

#### **Specs**

Exterior Dimensions: 26.8" W x 25.6" D x 82.3" H

Net Volume: 19 cu. ft. Net Weight: 295 lbs.

Exterior Material: 430 Stainless Steel

Interior Material: Painted Aluminum 304 S/S Floor

Insulation Material: CFC Free Foam Shelf Material: Epoxy Coated Foam

Temperature: 33?F - 41?F

Refrigerant: R290

Defrosting: Every 6 Hours

H/P: 1/5

Voltage: 115 Hertz: 60

Phase: 1 Amps: 6

Nema Plug: 5-15P

Design ambient working temperature range: 40°F to 80°F

Specification

~ P		
Electrical		
Amps	3	
Hz	60	
Phase	1	
Voltage	115	

# **Product Gallery**





