

RR1G-HC



Brand: Serv-Ware
Product Code: RR1G-HC
Availability: Ask for quote
Weight: 351.00lb
Dimensions: 31.90in x 26.80in x 82.70in
Call for Price: 717-665-3525

Short Description

1 Door 23 cu. ft Glass Door Stainless Steel Refrigerator

Description

Glass Door Reach-In Refrigerator - Stainless Steel

Features

CFC Free Refrigerant and Foam

Electronic Thermostat and Digital LED Temperature Display for Accurate Control and Easy Reading

Self-Closing Door

Magnetic Gasket can be Replaced without any Tool

Heating Element Conceal in Door Frame to Eliminate any Condensation

Material: External: S/S 430
Bottom of Internal: S/S 304,
Other Parts of Internal: Aluminum Painted

Serv-Ware GR Series Refrigerators are UL Safety and UL Sanitation Approved.
Featured with aluminum painted interior
heavy duty 304 stainless steel floor
430 stainless steel exterior and self-closing glass doors
digital controls with a LED readout and foamed in place polyurethane cell insulation
Unit is shipped with wheels installed
The bottom mounted compressor designed to hold temperatures between 33° F and 41° F

Conforms to UL471, CSA C22.2 and NSF 7 Standards.

Warranty

Three Year – Parts & Labor on entire unit. Valid in United States
Five Year – Additional Compressor, Part Only

Specs

Dimensions

26.8" W x 31.9" D x 82.7" H
23 cu. ft.
351 lbs.

Construction

Exterior Material: 430 Stainless Steel
Interior Material: Painted Aluminum 304 S/S Floor
Insulation Material: CFC Free Foam
Shelf Material: 3 Epoxy Coated Wire

Cooling

Temperature Range: 33°F – 41°F
Refrigerant: R290
Defrosting: Every 6 Hours
H/P: 3/8

Electrical
Voltage: 115
Amps: 6
Hz: 60
Phase: 1

Design ambient working temperature range: 40°F to 80°F

Product Gallery

