

## GR72-HC



**Brand:** Serv-Ware  
**Product Code:** GR72-HC  
**Availability:** Ask for quote  
**Weight:** 790.00lb  
**Dimensions:** 31.90in x 81.00in x 81.50in  
**Call for Price:** 717-665-3525

### Short Description

3 Door 72 cu. ft Refrigerator

### Description

**Glass Triple Door Reach-In Refrigerator | 72 cu. ft.**

### Features

Electronic Thermostat and Digital LED Temperature Display  
High Efficiency CFC Free Insulation  
Self-Closing Lockable Doors  
Double Pane Glass Doors Remain Open Past 90°  
Low-e Double Pane Glass Doors  
Epoxy Coated Shelves

INTERIOR: White Powder-Coated Steel

EXTERIOR: White Powder-Coated Steel

LED Internal Lamp

Unit is shipped with wheels installed

Top Illuminated Top Panel Serv-Ware GR Series Refrigerators are UL Safety and UL Sanitation Approved.

The bottom mounted compressor designed to hold temperatures between 33° F and 41° F.

Conforms to UL471, CSA C22.2 and NSF 7 Standards.

## **Warranty**

Three Year – Parts & Labor on entire unit. Valid in United States

Five Year – Additional Compressor, Part Only

## **Specs**

### Dimensions

81" x W x 31.9" D x 81.5" H

72 cu. ft.

790 lbs.

### Construction

Exterior Material: Powder Coated White Steel

Interior Material: Powder Coated White Steel

Insulation Material: CFC Free Foam

Shelf Material: 8 Epoxy Coated Wire (4 Per Door)

### Cooling

Temperature Range: 33°F – 41°F

Refrigerant: R290

Defrosting: Every 6 Hours

H/P: 1/2

### Electrical

Voltage: 115

Amps: 7.0

Hz: 60

Phase: 1

Design ambient working temperature range: 40°F to 80°F