

GR72S-HC



Brand: Serv-Ware
Product Code: GR72S-HC
Availability: Ask for quote
Weight: 705.00lb
Dimensions: 30.70in x 81.00in x 81.50in
Call for Price: 717-665-3525

Short Description

3 Door 72cu. ft Sliding Glass Door Refrigerator

Description

Glass Triple Sliding Door Reach-In Refrigerator | 72 cu. ft.

Features

- Electronic Thermostat and Digital LED Temperature Display
- High Efficiency CFC Free Insulation
- Self-Closing Lockable Doors
- Double Pane Glass Doors Remain Open Past 90°
- Low-e Double Pane Glass Doors
- Epoxy Coated Shelves

INTERIOR: White Powder-Coated Steel
EXTERIOR: White Powder-Coated Steel
LED Internal Lamp
Unit is shipped with wheels installed

Top Illuminated Top Panel Serv-Ware GR Series Refrigerators are UL Safety and UL Sanitation Approved.

The bottom mounted compressor designed to hold temperatures between 33° F and 41° F.

Conforms to UL471, CSA C22.2 and NSF 7 Standards.

Warranty

Three Year – Parts & Labor on entire unit. Valid in United States
Five Year – Additional Compressor, Part Only

Specs

Dimensions

81" x W x 30.7" D x 81.5" H
72 cu. ft.
705 lbs.

Construction

Exterior Material: Powder Coated White Steel
Interior Material: Powder Coated White Steel
Insulation Material: CFC Free Foam
Shelf Material: 8 Epoxy Coated Wire (4 Per Door)

Cooling

Temperature Range: 33°F – 41°F
Refrigerant: R290
Defrosting: Every 6 Hours
H/P: 1/2

Electrical

Voltage: 115

Amps: 7.0

Hz: 60

Phase: 1

Design ambient working temperature range: 40°F to 80°F