

## RR2-HC



**Brand:** Serv-Ware  
**Product Code:** RR2-HC  
**Availability:** 1  
**Weight:** 495.00lb  
**Dimensions:** 32.70in x 53.90in x 82.30in  
**Call for Price:** 717-665-3525

### Short Description

2 Door 49 cu. ft Stainless Steel Refrigerator

### Description

### Two Door Reach-In Refrigerator

### Features

Now with Stainless Steel Interior  
Reach-In Refrigerator  
Electronic Thermostat and Digital LED Temperature Display  
High Efficiency CFC Free Insulation  
Stainless Steel Front and Sides  
Self-Closing Lockable Doors with Full Length Handle

Remain Open Past 90?  
3 Shelves Per Door  
Shipped with Casters Installed (2 Brake and 2 Non Brake)  
Aluminum Painted Interior  
Heavy Duty 202 Series Stainless Steel Floor  
430 Series Stainless Steel Exterior Door & Front Panel

Double Door includes 6 epoxy coated wire shelves all with adjustable mounting brackets for greater flexibility.

The bottom mounted compressor designed to hold temperatures between 33° F and 41° F

Serv-Ware RR Series Refrigerators are UL Safety and UL Sanitation Approved.

Conforms to UL471, CSA C22.2 and NSF 7 Standards.

## **Warranty**

Three Year – Parts & Labor on entire unit. Valid in United States

Five Year – Additional Compressor, Part Only

## **Specs**

Exterior Dimensions: 53.9” W x 32.7” D x 82.3” H

Net Volume: 49 cu. ft.

Net Weight: 495 lbs.

Exterior Material: 430 Stainless Steel

Interior Material: Stainless Steel 202 S/S Floor

Insulation Material: CFC Free Foam

Shelf Material: Epoxy Coated

Temperature: 33°F – 41°F

Refrigerant: R290

Defrosting: Every 6 Hours

H/P: 1/2

Voltage: 115

Hertz: 60

Phase: 1

Amps: 4.5

Nema Plug: 5-15P

Design ambient working temperature range: 40°F to 80°F

### Product Gallery

